ELSEVIER

Thin Solid Films 287 (1996) 297

thin solid films

Author Index of Volume 287

Abe, Y., 115
Adachi, S., 51
Ai, C.-F., 16
Albouy, P.-A., 237
Allain, J., 1

Benhenda, S., 87
Ben-Jacob, E., 36
Benmassaoud, A.A., 125
Bewilogua, K., 193
Binst, L., 25
Bliznyuk, V.N., 232
Book, G.W., 32
Bouillon, F., 25
Brusatin, G., 65
Budniok, A., 164
Burstein, L., 36

Cantacuzène, S., 146
Cantalini, C., 258
Cardinale, G.F., 214
Carter, G., 275
Carter, W.B., 32
Cedola, A., 288
Chau, R.Y., 57
Chen, Z., 101
Choi, D.H., 220
Choi, S.S., 271
Choi, W.-K., 266
Christmann, T., 134
Chu, W.K., 271
Claudius, J., 225
Clift, W.M., 214
Crecelius, G., 93
Croitoru, N., 36
Cui, D., 101
Czernuszka, J.T., 174

Daaud, S., 193
Denanot, M.F., 1
Denul, J., 104
Dieker, C., 93
Di Fonzo, S., 288
Duh, J.G., 80

Felde, B., 134

Gao, D., 243
Gerber, Th., 225
Gierlotka, D., 164
Greene, J.E., 87
Gryse, R.D., 104
Guu, Y.Y., 16

Elsevier Science S.A.

Haemers, J., 104
Håkansson, G., 87
Hess, P., 101
Ho, W.-S., 57, 74
Hofmann, S., 188
Holländer, B., 93
Howitt, D.G., 214
Huang, Y.S., 74
Hultman, L., 87, 193, 252

Ihara, T., 169
Iriyama, Y., 169
Ivanov, I., 87

Jahng, W.S., 220
James, W.J., 8
Jark, W., 288
Jiang, L., 247
Johansson, M.P., 193
Jouve, G., 146
Jung, H.-J., 266

Kacim, S., 25
Kawamura, M., 115
Kiboku, M., 169
Kim, K.-H., 266
Kim, N., 220
Kingon, A.I., 139
Kinzler, M., 225
Kitamura, Y., 51
Klibanov, L., 36
Koh, S.-K., 266
Koike, M., 184
Kordi Ardakani, H., 280
Kouptsidis, S., 193
Kourtev, J., 202
Kozaczek, K.J., 32
Kunugi, M., 51

Lagomarsino, S., 288
Lee, J.S., 120
Lee, W.J., 120
Li, B., 247
Li, J., 247
Li, L., 101
Li, X., 247
Liao, P.C., 74
Licon, D.L., 57
Lim, S.J., 220
Lin, C.J., 80
Lin, J.F., 16
Ljungcrantz, H., 87
Lozzi, L., 258
Lüthje, H., 193

Man, W.K., 45
Manabe, K., 184
Mantl, S., 93
Mar, S.Y., 74
Martin, N., 154
Martynenko, Yu., 275
McCarty, K.F., 214
Medlin, D.L., 214
Mencík, J., 208
Mesters, S., 93
Miao, Y.B., 284
Michelsen, W., 93
Mirkarimi, P.B., 214
Miyazaki, T., 51
Moody, N.R., 214
Mori, T., 184
Moscovkin, P., 275
M Theunissen, G.S.A., 193
Müller, B.R., 288
Munz, D., 208

Narvaez, J., 130
Neher, D., 232
Newkirk, J.W., 8
Niedbała, J., 164
Niessner, W., 134
No, K., 120

Ohwaki, T., 184
Otani, Y., 188

Palmino, F., 154
Park, M.J., 271
Pascova, R., 202
Passacantando, M., 258
Paynter, R.W., 125
Peaker, A.J.S., 174
Pelino, M., 258
Pelka, J.B., 288
Pivin, J.C., 65
Polley, T.A., 32
Ponomarev, I.I., 232
Pringle, O.A., 8

Quandt, E., 208

Radhakrishnan, K., 284
Reniers, F., 25
Riviere, J.P., 1
Roo, N.D., 104
Rosenberg, Yu., 36
Rousselot, C., 154
Rusman, I., 36

Santucci, S., 258
Sasaki, K., 115
Savall, C., 154
Schalch, D., 134
Scharmann, A., 134
Schütze, A., 193
Sebastian, P.J., 130
Sehgal, H.K., 110
Seidman, A., 36
Séverac, C., 146
Shibata, N., 184
Siriwardane, H., 8
Song, H.W., 120
Sun, H.-T., 258
Sundgren, J.-E., 87, 252
Surówka, J., 164
Swain, P.K., 110
Szabadi, M., 101

Taga, Y., 184
Tang, J., 247
Tiong, K.K., 74
Tomaszewski, H., 104
Tsukruk, V.V., 232
Turan, R., 252

Valerio, P., 237
Vellaikal, M., 139

Wahab, Q., 252
Wang, Q., 243
Wang, W.H., 293
Wang, W.K., 293
Weigelt, J., 225
Weinstein, V., 36
Weißmantel, E., 202
Willander, M., 252
Wohllebe, A., 93
Wolfe, J.C., 57
Wong, T.K.S., 45

Yanagisawa, H., 115
Yoon, S.F., 284
Yu, B.G., 120
Yu, W., 293

Zalczer, G., 65
Zaytouni, M., 1
Zhang, J., 101
Zhang, M., 293
Zhang, Y., 243
Zhou, Y., 101

ELSEVIER

Thin Solid Films 287 (1996) 299–303

thin solid films

Subject Index of Volume 287

Adhesion
the tribological characteristics of titanium carbonitride coatings prepared by cathodic-arc ion plating technique, 16
Cu films deposited by a partially ionized beam (PIB), 266
growth and branching of wrinkles in deposited films, 275
Adsorption
microstructural effect on NO_2 sensitivity of WO_3 thin film gas sensors Part 1. Thin film devices, sensors and actuators, 258
Aluminium
plasma polymerization of tetraethoxysilane on aluminum granules for corrosion protection, 169
Amorphous materials
microstructure and phase characterization of diamond-like amorphous hydrogenated carbon films using STM/STS, 36
influence of the power and pressure on the growth rate and refractive index of a-C:H thin films deposited by r.f. plasma-enhanced chemical vapour deposition, 125
interdiffusion in compositionally modulated amorphous Nb/Si multilayers, 293
Anisotropy
elastic modulus of TbDyFe films—a comparison of nanoindentation and bending measurements, 208
Anodes
mechanical characteristics of colored film on stainless steel by the current pulse method, 80
Arsenic
influence of arsenic in silicon on thermal oxidation rate, 271
Atomic force microscopy
scanning probe microscopy and tunnelling measurements of poly-crystalline tin oxide films, 45
Auger electron spectroscopy
characterization of RuO_2 thin films deposited on Si by metal–organic chemical vapor deposition, 74
changes in surface composition of GaN by impurity doping, 184
high temperature oxidation behaviour of $(Ti_{1-x}Cr_x)N$ coatings, 188
micromachined silicon cantilever beams for thin-film stress measurement, 214

Biomaterials
the effect of electric field on the formation of hydroxyapatite coatings, 174
Boron carbide
microstructure of BN:C films deposited on Si substrates by reactive sputtering from a B_4C target, 193
Boron nitride
microstructure of BN:C films deposited on Si substrates by reactive sputtering from a B_4C target, 193

Cadmium sulphide
photosensitive ZnCdS nanoparticles in a CdS matrix formed by high temperature sintering of ZnS and $CdCl_2$ in argon, 130

Elsevier Science S.A.

Carbides
microstructure and physical properties of iron carbide films formed by plasma enhanced chemical vapor deposition, 8
Carbon
composition and structure of reactively sputter-deposited molybdenum–carbon films., 25
influence of the power and pressure on the growth rate and refractive index of a-C:H thin films deposited by r.f. plasma-enhanced chemical vapour deposition, 125
microstructure of BN:C films deposited on Si substrates by reactive sputtering from a B_4C target, 193
Cathodes
mechanical characteristics of colored film on stainless steel by the current pulse method, 80
Cathodic arc
the tribological characteristics of titanium carbonitride coatings prepared by cathodic-arc ion plating technique, 16
Ceramics
the effect of electric field on the formation of hydroxyapatite coatings, 174
Chemical vapour deposition
preparation of $YBa_2Cu_3O_x$ superconducting thin films via combustion chemical vapor deposition, 32
effects of process parameters on titanium dioxide thin film deposited using ECR MOCVD, 120
theoretical study on the fabrication of a microlens using the excimer laser chemical vapor deposition technique, 243
Coatings
structural characterization of SiC films prepared by dynamic ion mixing, 1
yttria-stabilized zirconia thin films grown by reactive r.f. magnetron sputtering, 104
XPS study of NbN and (NbTi)N superconducting coatings, 146
the effect of electric field on the formation of hydroxyapatite coatings, 174
elastic modulus of TbDyFe films—a comparison of nanoindentation and bending measurements, 208
Copper
structural study of Langmuir–Blodgett films built from Langmuir mono- and bilayers of a copper phthalocyanine derivative, 237
Cu films deposited by a partially ionized beam (PIB), 266
Corrosion
plasma polymerization of tetraethoxysilane on aluminum granules for corrosion protection, 169

Deposition process
microstructure of BN:C films deposited on Si substrates by reactive sputtering from a B_4C target, 193
Cu films deposited by a partially ionized beam (PIB), 266
Depth profiling
high temperature oxidation behaviour of $(Ti_{1-x}Cr_x)N$ coatings, 188

Diffusion
interdiffusion in compositionally modulated amorphous Nb/Si multilayers, 293

Elastic properties
elastic modulus of TbDyFe films—a comparison of nanoindentation and bending measurements, 208
Electrical characterization
electrical and microstructural characterization of lead titanate thin films deposited by metal–organic chemical vapor deposition onto platinum and magnesium oxide, 139
Electrical properties and measurements
characterization of RuO_2 thin films deposited on Si by metal–organic chemical vapor deposition, 74
characterization of TiN films prepared by a conventional magnetron sputtering system: influence of nitrogen flow percentage and electrical properties, 115
electrical conductivity of in situ "hydrogen-reduced" and structural properties of zinc oxide thin films deposited in different ambients by pulsed excimer laser ablation, 280
Electrochemistry
electrolytic oxygen evolution on Ni–P–Sc_2O_3 composite layers, 164
Electron microscopy
structural characterization of SiC films prepared by dynamic ion mixing, 1
characterization of $Pb_xMn_{1-x}S$ thin films prepared by flash evaporation technique, 110
the effect of electric field on the formation of hydroxyapatite coatings, 174
Ellipsometry
epitaxial growth of InSb films by r.f. magnetron sputtering, 51
Epitaxy
epitaxial growth of InSb films by r.f. magnetron sputtering, 51
ion-assisted low-temperature (≤ 150 °C) epitaxial growth of TiN on Cu by reactive magnetron sputter deposition, 87
Etching
micromachined silicon cantilever beams for thin-film stress measurement, 214
Evaporation
effect of target temperature on the reactive d.c.-sputtering of silicon and niobium oxides, 57
arc evaporated Ti–N films with reduced macroparticle contamination, 202

Fluorescence
structure–fluorescence properties of some naphthoylene-benzimidazole-based Langmuir–Blodgett films, 232
electromagnetic field resonance in thin amorphous films: a tool for non-destructive localization of thin marker layers by use of a standard X-ray tube, 288

Gallium arsenide
some characteristics of silicon-doped $In_{0.52}Al_{0.48}As$ grown lattice-matched on InP substrates by molecular beam epitaxy, 284
Glow discharge
microstructure and physical properties of iron carbide films formed by plasma enhanced chemical vapor deposition, 8
Graphite
microstructure and phase characterization of diamond-like amorphous hydrogenated carbon films using STM/STS, 36
Growth mechanism
theoretical study on the fabrication of a microlens using the excimer laser chemical vapor deposition technique, 243

Hall effect
some characteristics of silicon-doped $In_{0.52}Al_{0.48}As$ grown lattice-matched on InP substrates by molecular beam epitaxy, 284
Hardness
arc evaporated Ti–N films with reduced macroparticle contamination, 202
Hydrogen
microstructure and phase characterization of diamond-like amorphous hydrogenated carbon films using STM/STS, 36

Indium antimonide
epitaxial growth of InSb films by r.f. magnetron sputtering, 51
Ion bombardment
structural characterization of SiC films prepared by dynamic ion mixing, 1
properties of molecular organo-silicate composites submitted to ion irradiations, 65
growth and branching of wrinkles in deposited films, 275
Ion implantation
influence of arsenic in silicon on thermal oxidation rate, 271
Ion scattering
surface diffusion of Fe and island growth of $FeSi_2$ on Si(111) surfaces, 93

Langmuir-Blodgett films
investigation of ultra thin Ca/Cd–arachidate films by Grazing Incidence Diffraction (GID) with a conventional X-ray tube and a synchrotron radiation source, 225
structure–fluorescence properties of some naphthoylene-benzimidazole-based Langmuir–Blodgett films, 232
structural study of Langmuir–Blodgett films built from Langmuir mono- and bilayers of a copper phthalocyanine derivative, 237
effect of hydroxyl substitution in squaraine dyes on their aggregation in Langmuir–Blodgett films, 247
Laser ablation
effect of oxygen pressure on the orientation, lattice parameters, and surface morphology of laser ablated $BaTiO_3$ thin films, 101
electrical conductivity of in situ "hydrogen-reduced" and structural properties of zinc oxide thin films deposited in different ambients by pulsed excimer laser ablation, 280
Laser irradiation
theoretical study on the fabrication of a microlens using the excimer laser chemical vapor deposition technique, 243
Lattice parameters
effect of oxygen pressure on the orientation, lattice parameters, and surface morphology of laser ablated $BaTiO_3$ thin films, 101
Lead titanate
electrical and microstructural characterization of lead titanate thin films deposited by metal–organic chemical vapor deposition onto platinum and magnesium oxide, 139
Luminescence
some characteristics of silicon-doped $In_{0.52}Al_{0.48}As$ grown lattice-matched on InP substrates by molecular beam epitaxy, 284

Metal–organic chemical vapour deposition
electrical and microstructural characterization of lead titanate thin films deposited by metal–organic chemical vapor deposition onto platinum and magnesium oxide, 139
Metal-oxide semiconductor structure
fabrication and characterization of MOS devices on 3C-SiC films grown by reactive magnetron sputtering on Si(111) substrates, 252
Metals
growth and branching of wrinkles in deposited films, 275
Microstructural characterization
electrical and microstructural characterization of lead titanate thin films deposited by metal–organic chemical vapor deposition onto platinum and magnesium oxide, 139
Molecular beam epitaxy
surface diffusion of Fe and island growth of $FeSi_2$ on Si(111) surfaces, 93

some characteristics of silicon-doped $In_{0.52}Al_{0.48}As$ grown lattice-matched on InP substrates by molecular beam epitaxy, 284
Molybdenum
composition and structure of reactively sputter-deposited molybdenum–carbon films., 25
Monolayers
effect of hydroxyl substitution in squaraine dyes on their aggregation in Langmuir–Blodgett films, 247
Multilayers
investigation of ultra thin Ca/Cd–arachidate films by Grazing Incidence Diffraction (GID) with a conventional X-ray tube and a synchrotron radiation source, 225
electromagnetic field resonance in thin amorphous films: a tool for non-destructive localization of thin marker layers by use of a standard X-ray tube, 288
interdiffusion in compositionally modulated amorphous Nb/Si multilayers, 293

Nickel
electrolytic oxygen evolution on Ni–P–Sc_2O_3 composite layers, 164
Niobium
XPS study of NbN and (NbTi)N superconducting coatings, 146
Niobium oxide
effect of target temperature on the reactive d.c.-sputtering of silicon and niobium oxides, 57
Nitrides
XPS study of NbN and (NbTi)N superconducting coatings, 146
high temperature oxidation behaviour of $(Ti_{1-x}Cr_x)N$ coatings, 188
Nitrogen dioxide
microstructural effect on NO_2 sensitivity of WO_3 thin film gas sensors Part 1. Thin film devices, sensors and actuators, 258

Optical coatings
thermochromic VO_2 thin films studied by photoelectron spectroscopy, 134
Optical properties
yttria-stabilized zirconia thin films grown by reactive r.f. magnetron sputtering, 104
characterization of $Pb_xMn_{1-x}S$ thin films prepared by flash evaporation technique, 110
influence of the power and pressure on the growth rate and refractive index of a-C:H thin films deposited by r.f. plasma-enhanced chemical vapour deposition, 125
characterizations of titanium oxide films prepared by radio frequency magnetron sputtering, 154
Organic substances
properties of molecular organo-silicate composites submitted to ion irradiations, 65
structure–fluorescence properties of some naphthoylene-benzimidazole-based Langmuir–Blodgett films, 232
structural study of Langmuir–Blodgett films built from Langmuir mono- and bilayers of a copper phthalocyanine derivative, 237
Organometallic vapour deposition
characterization of RuO_2 thin films deposited on Si by metal–organic chemical vapor deposition, 74
Oxidation
high temperature oxidation behaviour of $(Ti_{1-x}Cr_x)N$ coatings, 188
Oxides
yttria-stabilized zirconia thin films grown by reactive r.f. magnetron sputtering, 104
effects of process parameters on titanium dioxide thin film deposited using ECR MOCVD, 120
Oxygen
electrolytic oxygen evolution on Ni–P–Sc_2O_3 composite layers, 164

Phase transitions
thermochromic VO_2 thin films studied by photoelectron spectroscopy, 134
Photoconductivity
photosensitive ZnCdS nanoparticles in a CdS matrix formed by high temperature sintering of ZnS and $CdCl_2$ in argon, 130
Photoelectron spectroscopy
thermochromic VO_2 thin films studied by photoelectron spectroscopy, 134
Physical vapour deposition
elastic modulus of TbDyFe films—a comparison of nanoindentation and bending measurements, 208
Plasma processing and deposition
microstructure and physical properties of iron carbide films formed by plasma enhanced chemical vapor deposition, 8
effects of process parameters on titanium dioxide thin film deposited using ECR MOCVD, 120
influence of the power and pressure on the growth rate and refractive index of a-C:H thin films deposited by r.f. plasma-enhanced chemical vapour deposition, 125
plasma polymerization of tetraethoxysilane on aluminum granules for corrosion protection, 169
Polymers
organically modified sol-gel materials for second-order nonlinear optics, 220

Raman scattering
characterization of RuO_2 thin films deposited on Si by metal–organic chemical vapor deposition, 74
Reflection spectroscopy
effect of hydroxyl substitution in squaraine dyes on their aggregation in Langmuir–Blodgett films, 247
electromagnetic field resonance in thin amorphous films: a tool for non-destructive localization of thin marker layers by use of a standard X-ray tube, 288
Resistivity
Cu films deposited by a partially ionized beam (PIB), 266
Rutherford backscattering spectroscopy
influence of arsenic in silicon on thermal oxidation rate, 271

Scanning tunnelling microscopy
microstructure and phase characterization of diamond-like amorphous hydrogenated carbon films using STM/STS, 36
scanning probe microscopy and tunnelling measurements of poly-crystalline tin oxide films, 45
Second harmonic generation (SHG)
organically modified sol-gel materials for second-order nonlinear optics, 220
Semiconductors
characterization of $Pb_xMn_{1-x}S$ thin films prepared by flash evaporation technique, 110
photosensitive ZnCdS nanoparticles in a CdS matrix formed by high temperature sintering of ZnS and $CdCl_2$ in argon, 130
changes in surface composition of GaN by impurity doping, 184
Sensors
microstructural effect on NO_2 sensitivity of WO_3 thin film gas sensors Part 1. Thin film devices, sensors and actuators, 258
Silane
organically modified sol-gel materials for second-order nonlinear optics, 220
Silicides
surface diffusion of Fe and island growth of $FeSi_2$ on Si(111) surfaces, 93
Silicon
micromachined silicon cantilever beams for thin-film stress measurement, 214

Silicon carbide
structural characterization of SiC films prepared by dynamic ion mixing, 1
fabrication and characterization of MOS devices on 3C-SiC films grown by reactive magnetron sputtering on Si(111) substrates, 252
Silicon oxide
effect of target temperature on the reactive d.c.-sputtering of silicon and niobium oxides, 57
organically modified sol-gel materials for second-order nonlinear optics, 220
influence of arsenic in silicon on thermal oxidation rate, 271
Sintering
photosensitive ZnCdS nanoparticles in a CdS matrix formed by high temperature sintering of ZnS and $CdCl_2$ in argon, 130
Sputtering
composition and structure of reactively sputter-deposited molybdenum–carbon films., 25
epitaxial growth of InSb films by r.f. magnetron sputtering, 51
effect of target temperature on the reactive d.c.-sputtering of silicon and niobium oxides, 57
ion-assisted low-temperature (≤ 150 °C) epitaxial growth of TiN on Cu by reactive magnetron sputter deposition, 87
characterization of TiN films prepared by a conventional magnetron sputtering system: influence of nitrogen flow percentage and electrical properties, 115
characterizations of titanium oxide films prepared by radio frequency magnetron sputtering, 154
microstructure of BN:C films deposited on Si substrates by reactive sputtering from a B_4C target, 193
fabrication and characterization of MOS devices on 3C-SiC films grown by reactive magnetron sputtering on Si(111) substrates, 252
Steel
mechanical characteristics of colored film on stainless steel by the current pulse method, 80
Stress
micromachined silicon cantilever beams for thin-film stress measurement, 214
Structural properties
composition and structure of reactively sputter-deposited molybdenum–carbon films., 25
characterization of $Pb_xMn_{1-x}S$ thin films prepared by flash evaporation technique, 110
structure–fluorescence properties of some naphthoylene-benzimidazole-based Langmuir–Blodgett films, 232
structural study of Langmuir–Blodgett films built from Langmuir mono- and bilayers of a copper phthalocyanine derivative, 237
electromagnetic field resonance in thin amorphous films: a tool for non-destructive localization of thin marker layers by use of a standard X-ray tube, 288
Superconductivity
preparation of $YBa_2Cu_3O_x$ superconducting thin films via combustion chemical vapor deposition, 32
Surface composition
properties of molecular organo-silicate composites submitted to ion irradiations, 65
XPS study of NbN and (NbTi)N superconducting coatings, 146
electrolytic oxygen evolution on Ni–P–Sc_2O_3 composite layers, 164
changes in surface composition of GaN by impurity doping, 184
Surface diffusion
surface diffusion of Fe and island growth of $FeSi_2$ on Si(111) surfaces, 93
Surface morphology
effect of oxygen pressure on the orientation, lattice parameters, and surface morphology of laser ablated $BaTiO_3$ thin films, 101
characterizations of titanium oxide films prepared by radio frequency magnetron sputtering, 154
effect of hydroxyl substitution in squaraine dyes on their aggregation in Langmuir–Blodgett films, 247
growth and branching of wrinkles in deposited films, 275
Surface structure
properties of molecular organo-silicate composites submitted to ion irradiations, 65
investigation of ultra thin Ca/Cd–arachidate films by Grazing Incidence Diffraction (GID) with a conventional X-ray tube and a synchrotron radiation source, 225

Tin oxide
scanning probe microscopy and tunnelling measurements of poly-crystalline tin oxide films, 45
theoretical study on the fabrication of a microlens using the excimer laser chemical vapor deposition technique, 243
Titanium carbonitride
the tribological characteristics of titanium carbonitride coatings prepared by cathodic-arc ion plating technique, 16
Titanium nitride
ion-assisted low-temperature (≤ 150 °C) epitaxial growth of TiN on Cu by reactive magnetron sputter deposition, 87
characterization of TiN films prepared by a conventional magnetron sputtering system: influence of nitrogen flow percentage and electrical properties, 115
arc evaporated Ti–N films with reduced macroparticle contamination, 202
Titanium oxide
characterizations of titanium oxide films prepared by radio frequency magnetron sputtering, 154
Transmission electron microscopy
ion-assisted low-temperature (≤ 150 °C) epitaxial growth of TiN on Cu by reactive magnetron sputter deposition, 87
fabrication and characterization of MOS devices on 3C-SiC films grown by reactive magnetron sputtering on Si(111) substrates, 252
Transmission electron microscopy (TEM)
microstructure of BN:C films deposited on Si substrates by reactive sputtering from a B_4C target, 193
Tribology
arc evaporated Ti–N films with reduced macroparticle contamination, 202
Tungsten oxide
microstructural effect on NO_2 sensitivity of WO_3 thin film gas sensors Part 1. Thin film devices, sensors and actuators, 258

Vanadium oxide
thermochromic VO_2 thin films studied by photoelectron spectroscopy, 134

Wear
the tribological characteristics of titanium carbonitride coatings prepared by cathodic-arc ion plating technique, 16

X-ray diffraction
microstructure and physical properties of iron carbide films formed by plasma enhanced chemical vapor deposition, 8
effect of oxygen pressure on the orientation, lattice parameters, and surface morphology of laser ablated $BaTiO_3$ thin films, 101
yttria-stabilized zirconia thin films grown by reactive r.f. magnetron sputtering, 104
characterization of TiN films prepared by a conventional magnetron sputtering system: influence of nitrogen flow percentage and electrical properties, 115
photosensitive ZnCdS nanoparticles in a CdS matrix formed by high temperature sintering of ZnS and $CdCl_2$ in argon, 130
investigation of ultra thin Ca/Cd–arachidate films by Grazing Incidence Diffraction (GID) with a conventional X-ray tube and a synchrotron radiation source, 225

electrical conductivity of in situ "hydrogen-reduced" and structural properties of zinc oxide thin films deposited in different ambients by pulsed excimer laser ablation, 280
interdiffusion in compositionally modulated amorphous Nb/Si multilayers, 293
X-ray photoelectron spectroscopy
XPS study of NbN and (NbTi)N superconducting coatings, 146
changes in surface composition of GaN by impurity doping, 184
Yttrium
preparation of $YBa_2Cu_3O_x$ superconducting thin films via combustion chemical vapor deposition, 32
Zinc oxide
electrical conductivity of in situ "hydrogen-reduced" and structural properties of zinc oxide thin films deposited in different ambients by pulsed excimer laser ablation, 280